

## Refine Search

### Search Results -

Terms	Documents
5724556.pn.	1

Database:

US Pre-Grant Publication Full-Text Database
<b>US Patents Full-Text Database</b>
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:






### Search History

DATE: Friday, February 17, 2006    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name result set</u>
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L29</u>	5724556.pn.	1	<u>L29</u>
<u>L28</u>	L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0	<u>L28</u>
<u>L27</u>	L26 and (partition\$ Or fragment\$ or divid\$) near8 (program\$ Or software\$ or code\$)	4	<u>L27</u>
<u>L26</u>	(first\$ near4 line\$) near5 (stor\$ near4 referenc\$)	129	<u>L26</u>
<u>L25</u>	L24 and call\$ and (store\$ or sav\$) near9 total\$	0	<u>L25</u>
<u>L24</u>	L23 and l3	2	<u>L24</u>
<i>DB=USPT,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	717/140,107,130,133,168.ccls.	931	<u>L23</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L22</u>	717/140,107,130,133.ccls.	669	<u>L22</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L21</u>	L17	0	<u>L21</u>

*DB=DWPI; PLUR=YES; OP=ADJ*

L20 L17 0 L20

*DB=JPAB; PLUR=YES; OP=ADJ*

L19 L17 0 L19

*DB=EPAB; PLUR=YES; OP=ADJ*

L18 L17 0 L18

L17 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and  
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4  
source\$) 0 L17

*DB=PGPB; PLUR=YES; OP=ADJ*

L16 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and  
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4  
source\$) 2 L16

*DB=USPT; PLUR=YES; OP=ADJ*

L15 L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$) 3 L15

L14 L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter)  
near4 source\$) 30 L14

L13 (partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or  
code\$) 64469 L13

L12 L3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4  
(receiv\$ or transfe\$) 1 L12

L11 L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4  
(receiv\$ or transfe\$) 0 L11

L10 L9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$)) 10 L10

L9 L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$) 10 L9

L8 L7 and (call\$ or invok\$) 11 L8

L7 L6 and insert\$ 11 L7

L6 L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 12 L6

L5 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) 142 L5

L4 L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$) 2 L4

L3 L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 49 L3

L2 L1 and automatic\$ near4 (determin\$ or locat\$) 270 L2

L1 partition\$ near4 (program\$ or software\$ Or code\$) 4512 L1

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L8 and L1	3

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, February 17, 2006   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	l8 and l1	3	<u>L12</u>
<u>L11</u>	l8 and l2	0	<u>L11</u>
<u>L10</u>	l8 and l7	5	<u>L10</u>
<u>L9</u>	L8 and l6	5	<u>L9</u>
<u>L8</u>	L7 and (insert\$ near4 modif\$) near4 (program\$ or code\$)	5	<u>L8</u>
<u>L7</u>	L6 and (subprogram\$ or module\$) near4 call\$	322	<u>L7</u>
<u>L6</u>	partition\$ NEAR7 (PROGRAM\$ oR CODE\$ OR SOFTWARE) AND (DISTRIBUT\$ OR TRANSFER\$)	3751	<u>L6</u>
<u>L5</u>	PARTITIN\$ NEAR7 (PROGRAM\$ oR CODE\$ OR SOFTWARE) AND (DISTRIBUT\$ OR TRANSFER\$)	0	<u>L5</u>
<u>L4</u>	719/315.CCLS.	644	<u>L4</u>
<u>L3</u>	718/106.CCLS.	380	<u>L3</u>
<u>L2</u>	709/201,245,246,232.CCLS.	3460	<u>L2</u>

## Refine Search

### Search Results -

Terms	Documents
L24 and call\$ and (store\$ or sav\$) near9 total\$	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L25





### Search History

DATE: Friday, February 17, 2006   [Printable Copy](#)   [Create Case](#)

Set  
Name   Query  
 side by  
 side

Hit  
Count   Set  
                     Name  
                     result  
                     set

*DB=USPT; PLUR=YES; OP=ADJ*

L25   L24 and call\$ and (store\$ or sav\$) near9 total\$

0   L25

L24   L23 and l3

2   L24

*DB=USPT,TDBD; PLUR=YES; OP=ADJ*

L23   717/140,107,130,133,168.ccls.

931   L23

*DB=USPT; PLUR=YES; OP=ADJ*

L22   717/140,107,130,133.ccls.

669   L22

*DB=TDBD; PLUR=YES; OP=ADJ*

L21   L17

0   L21

*DB=DWPI; PLUR=YES; OP=ADJ*

L20   L17

0   L20

*DB=JPAB; PLUR=YES; OP=ADJ*

L19   L17

0   L19

*DB=EPAB; PLUR=YES; OP=ADJ*

<u>L18</u>	L17	0	<u>L18</u>
<u>L17</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	0	<u>L17</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	2	<u>L16</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L15</u>	L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$)	3	<u>L15</u>
<u>L14</u>	L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	30	<u>L14</u>
<u>L13</u>	(partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or code\$)	64469	<u>L13</u>
<u>L12</u>	l3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4 (receiv\$ or transfe\$)	1	<u>L12</u>
<u>L11</u>	L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4 (receiv\$ or transfe\$)	0	<u>L11</u>
<u>L10</u>	L9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$))	10	<u>L10</u>
<u>L9</u>	L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$)	10	<u>L9</u>
<u>L8</u>	L7 and (call\$ or invok\$)	11	<u>L8</u>
<u>L7</u>	L6 and insert\$	11	<u>L7</u>
<u>L6</u>	L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$	12	<u>L6</u>
<u>L5</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$)	142	<u>L5</u>
<u>L4</u>	L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$)	2	<u>L4</u>
<u>L3</u>	L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$	49	<u>L3</u>
<u>L2</u>	L1 and automatic\$ near4 (determin\$ or locat\$)	270	<u>L2</u>
<u>L1</u>	partition\$ near4 (program\$ or software\$ Or code\$)	4512	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

Your wildcard search against 10000 terms has yielded the results below.

*Your result set for the last L# is incomplete.*

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

### Search Results -

Terms	Documents
L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L28

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Friday, February 17, 2006    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L28</u>	L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0	<u>L28</u>
<u>L27</u>	L26 and (partition\$ Or fragment\$ or divid\$) near8 (program\$ Or software\$ or code\$)	4	<u>L27</u>
<u>L26</u>	(first\$ near4 line\$) near5 (stor\$ near4 referenc\$)	129	<u>L26</u>
<u>L25</u>	L24 and call\$ and (store\$ or sav\$) near9 total\$	0	<u>L25</u>
<u>L24</u>	L23 and l3	2	<u>L24</u>
<i>DB=USPT,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	717/140,107,130,133,168.ccls.	931	<u>L23</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L22</u>	717/140,107,130,133.ccls.	669	<u>L22</u>

*DB=TDBD; PLUR=YES; OP=ADJ*

L21 L17 0 L21

*DB=DWPI; PLUR=YES; OP=ADJ*

L20 L17 0 L20

*DB=JPAB; PLUR=YES; OP=ADJ*

L19 L17 0 L19

*DB=EPAB; PLUR=YES; OP=ADJ*

L18 L17 0 L18

L17 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and  
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4  
source\$) 0 L17

*DB=PGPB; PLUR=YES; OP=ADJ*

L16 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and  
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4  
source\$) 2 L16

*DB=USPT; PLUR=YES; OP=ADJ*

L15 L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$) 3 L15

L14 L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter)  
near4 source\$) 30 L14

L13 (partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or  
code\$) 64469 L13

L12 l3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4  
(receiv\$ or transfe\$) 1 L12

L11 L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4  
(receiv\$ or transfe\$) 0 L11

L10 l9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$)) 10 L10

L9 L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$) 10 L9

L8 L7 and (call\$ or invok\$) 11 L8

L7 L6 and insert\$ 11 L7

L6 L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 12 L6

L5 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) 142 L5

L4 L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$) 2 L4

L3 L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 49 L3

L2 L1 and automatic\$ near4 (determin\$ or locat\$) 270 L2

L1 partition\$ near4 (program\$ or software\$ Or code\$) 4512 L1

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**partition** and **computer program** and **subprogram** and **execute** and **distribute** and **compile** and **modify**

 Four  
99,9!

171,14

 Sort results  
by


[Save results to a Binder](#)
[Try an Advanced Search](#)

 Display  
results


[Search Tips](#)
[Try this search in The ACM Guide](#)

[Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐

### 1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**
**Publisher:** IBM Press

 Full text available: [pdf\(4.21 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

### 2 [An implementation supporting distributed execution of partitioned ada programs](#)

R. Jha, G. Eisenhauer, J. M. Kamrad, D. Cornhill

 January 1989 **ACM SIGAda Ada Letters**, Volume IX Issue 1

**Publisher:** ACM Press

 Full text available: [pdf\(823.78 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper describes the implementation of a novel paradigm for building distributed application software in Ada. The entire application is written as a single program, which is partitioned for distributed execution *after* its design. The partitioning is expressed in a separate notation called the Ada Program Partitioning Language (APPL). A modified compilation system accepts an Ada program and an APPL specification for it as input, to produce a separate executable image for each node. The ...

### 3 [Secure program partitioning](#)

Steve Zdancewic, Lantian Zheng, Nathaniel Nystrom, Andrew C. Myers

 August 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 3

**Publisher:** ACM Press

 Full text available: [pdf\(497.12 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents secure program partitioning, a language-based technique for protecting confidential data during computation in distributed systems containing mutually untrusted hosts. Confidentiality and integrity policies can be expressed by annotating programs with security types that constrain information flow; these programs can then be partitioned




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**partition** and **program** and **insert** and **call** and **store** and **reference**

Found 102,786 of 171,143

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

### 2 [Query evaluation techniques for large databases](#)

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available: [pdf\(9.37 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

**Keywords:** complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

### 3 [Ownership confinement ensures representation independence for object-oriented programs](#)

Anindya Banerjee, David A. Naumann


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(partition and code&lt;in&gt;metadata)"

Your search matched 11171 of 1318251 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.☒ e-mail

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

(partition and code&lt;in&gt;metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Other Resources

(Available For Purchase)

## Top Book Results

[Additive Cellular Automata](#)by Chaudhuri, P. P.; Chowdhury, D. R.; Nandi, S.; Chattopadhyay, S.;  
Paperback, Edition: 1[View All 1 Result\(s\)](#)[view selected items](#)[Select All](#) [Deselect All](#)

View: 1-25 | 26-5

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Generalized block space-time trellis codes: set-partitioning and code des**  
Janani, M.; Nosratinia, A.;  
[Wireless Communications and Networking Conference, 2005 IEEE](#)  
Volume 1, 13-17 March 2005 Page(s):461 - 465 Vol. 1  
Digital Object Identifier 10.1109/WCNC.2005.1424544  
[AbstractPlus](#) | Full Text: [PDF](#)(1785 KB) [IEEE CNF](#)  
[Rights and Permissions](#)
- ☐ 2. **Super-orthogonal space-time trellis codes**  
Jafarkhani, H.; Seshadri, N.;  
[Information Theory, IEEE Transactions on](#)  
Volume 49, Issue 4, April 2003 Page(s):937 - 950  
Digital Object Identifier 10.1109/TIT.2003.809607  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(710 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ 3. **Geometrically uniform codes**  
Forney, G.D., Jr.;  
[Information Theory, IEEE Transactions on](#)  
Volume 37, Issue 5, Sept. 1991 Page(s):1241 - 1260  
Digital Object Identifier 10.1109/18.133243  
[AbstractPlus](#) | Full Text: [PDF](#)(1844 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ 4. **Lossless and near-lossless source coding for multiple access networks**  
Qian Zhao; Effros, M.;  
[Information Theory, IEEE Transactions on](#)  
Volume 49, Issue 1, Jan. 2003 Page(s):112 - 128  
Digital Object Identifier 10.1109/TIT.2002.806145  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1278 KB) [IEEE JNL](#)  
[Rights and Permissions](#)
- ☐ 5. **Sphere-bound-achieving coset codes and multilevel coset codes**  
Forney, G.D., Jr.; Trott, M.D.; Sae-Young Chung;  
[Information Theory, IEEE Transactions on](#)  
Volume 46, Issue 3, May 2000 Page(s):820 - 850  
Digital Object Identifier 10.1109/18.841165


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(partition and code and insert and modify and source&lt;in&gt;metadata)"

☒ e-mail

Your search matched 250 of 1318251 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

- ☐ **1. Compiling for distributed-memory systems**  
Zima, H.P.; Chapman, B.M.;  
[Proceedings of the IEEE](#)  
Volume 81, Issue 2, Feb. 1993 Page(s):264 - 287  
Digital Object Identifier 10.1109/5.214550  
[AbstractPlus](#) | Full Text: [PDF](#)(2072 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ **2. Joint source-channel error detection with standard compatibility for wirel transmission**  
Martini, M.G.; Chiani, M.;  
[Wireless Communications and Networking Conference, 2002. WCNC2002. 2002](#)  
Volume 1, 17-21 March 2002 Page(s):215 - 219 vol.1  
Digital Object Identifier 10.1109/WCNC.2002.993493  
[AbstractPlus](#) | Full Text: [PDF](#)(327 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **3. A compiler-based approach for dynamically managing scratch-pad memc embedded systems**  
Kandemir, M.; Ramanujam, J.; Irwin, M.J.; Vijaykrishnan, N.; Kadayif, I.; Parikh  
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)  
Volume 23, Issue 2, Feb. 2004 Page(s):243 - 260  
Digital Object Identifier 10.1109/TCAD.2003.822123  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(840 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ **4. Recovery of PTUIE handling from source codes through recognizing its p properties**  
Tan, H.B.K.; Thein, N.L.;  
[Knowledge and Data Engineering, IEEE Transactions on](#)  
Volume 16, Issue 10, Oct. 2004 Page(s):1217 - 1231  
Digital Object Identifier 10.1109/TKDE.2004.62  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1096 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ **5. Architectures and technologies for high-speed optical data networks**  
Chan, V.W.S.; Hall, K.L.; Modiano, E.; Rauschenbach, K.A.;  
[Lightwave Technology, Journal of](#)